

Prepared for:
BLOOM DISTRIBUTION

12742 East Caley Ave Unit E
Centennial, CO USA 80111

Energize Gummy 25mg

Batch ID or Lot Number: 230104	Test: Potency	Reported: 12Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000232313	Started: 10Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Jan2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.265	1.032	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.242	0.944	ND	ND	
Cannabidiol (CBD)	1.162	2.814	29.060	7.30	
Cannabidiolic Acid (CBDA)	1.192	2.886	ND	ND	
Cannabidivarin (CBDV)	0.275	0.665	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.497	1.204	ND	ND	
Cannabigerol (CBG)	0.150	0.586	ND	ND	
Cannabigerolic Acid (CBGA)	0.628	2.450	ND	ND	
Cannabinol (CBN)	0.196	0.764	ND	ND	
Cannabinolic Acid (CBNA)	0.429	1.671	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.748	2.918	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.680	2.650	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.602	2.348	ND	ND	
Tetrahydrocannabivarin (THCV)	0.137	0.533	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.531	2.071	ND	ND	
Total Cannabinoids			29.060	7.30	
Total Potential THC			ND	ND	
Total Potential CBD			29.060	7.30	

Final Approval



Karen Winternheimer
12Jan2023
03:05:00 PM MST

PREPARED BY / DATE



Sam Smith
12Jan2023
03:07:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/bad957da-4292-4a9b-a855-8fa9c42f1334>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert. #4329.02
bad957da42924a9ba8558fa9c42f1334.1